


# POTRUBIA HIGH VACUUM




## Rovné rúry MDPZ




Typ	Ø	50	63	76	102	108	127	152	203
	S	1,25	1,25	1,25	1,25	1,5	1,5	1,5	1,5
MDPZ 3m	kg	5,5	6,9	8,4	11,5	15,9	18,9	22,4	26,2
MDPZ 6m	kg	11	13,9	16,8	23,0	31,8	37,3	44,8	52,4

## Koleno MDBF 45°




Typ	Ø	50	63	76	102	108	127	152	203
MDBF 45	R	100	152	160	153	162	190	228	304
	S	1,5	1,5	1,5	2,0	2,0	2,0	2,0	2,0
	A	150	150	150	170	180	220	230	30
	B	320	325	435	260	280	340	340	230
	kg	0,8	0,9	2,3	3,5	5,9	6,5	7,2	7,5

## Koleno MDBF 90°




Typ	Ø	50	63	76	102	108	127	152	203
MDBF 90	R	100	152	160	153	162	190	228	304
	S	1,5	1,5	1,5	2,0	2,0	2,0	2,0	2,0
	A	150	150	150	170	210	225	270	30
	B	295	295	394	380	450	500	590	400
	kg	1,0	1,3	3,1	5,2	7,9	8,5	9,2	9,4

## Koleno MDBE 90°




Typ	Ø	50	63	76	108	127	152
MDBE 90	B	150	189	228	320	380	456
	R	2,5xD	2,5xD	2,5xD	2,5xD	2,5xD	2,5xD
	S	2,6	2,9	2,9	3,6	4,0	4,5
	kg	0,6	1,0	1,5	3,7	6,3	10,1

## Spojka MDPC




Typ	Ø	50	63	76	89	102	108	114	127	139	152	203
MDPC/MDPC-SDI	kg	0,25	0,28	0,32	0,31	0,37	0,39	0,35	0,43	0,41	0,49	0,6


## Koncový kryt MDED pozinkovaný



Typ	Ø	50	63	76	102	108	127	152	203
MDED	A	50	63	76	102	108	127	152	203
	L	50	50	50	50	50	50	50	50
	S	1,5	1,5	1,5	2,0	2,0	2,0	2,0	2,0
	kg	0,15	0,20	0,22	0,36	0,38	0,42	0,63	0,95



**Y rúra MDYP, oceľ, pozinkovaná, 45°**


Typ	Ø	050-050-050	063-063-063	076-076-076	102-102-102	108-108-108	127-127-127	152-152-152	203-203-203
MDYP	A	50	63	76	102	108	127	152	203
	B/C	50	63	76	102	108	127	152	203
	L1	150	150	150	150	200	200	200	200
	L2	100	100	100	100	150	150	150	150
	S	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,0
kg	0,6	0,9	1	1	1,3	2,1	4,8	6,8	

**Odbočková rúra BPKE 45°**


Typ	Ø	050-050	063-050	063-063	076-050	076-063	076-076	102-050
BPKE	A/C	50	63	63	76	76	76	102
	B	50	50	63	50	63	76	50
	L1	300	300	300	300	300	300	400
	L2	155	155	155	155	155	155	200
	L3	110	110	105	110	110	110	161
S	2,0	2,0	2,0	2,0	2,0	2,0	2,0	
kg	0,5	0,6	0,7	0,7	0,8	0,9	0,9	

Typ	Ø	102-063	102-076	102-102	108-050	108-063	108-076	108-108
BPKE	A/C	102	102	102	108	108	108	108
	B	63	76	102	50	63	76	108
	L1	400	400	400	400	400	400	400
	L2	220	220	220	220	220	220	230
	L3	116	116	114	160	160	115	115
S	2,0	2,0	2,0	2,0	2,0	2,0	2,0	
kg	0,9	0,9	0,9	1,6	1,9	2,0	2,1	

**Redukcia MDRP, pozinkovaná/nerez**


Typ	Ø	063-050	076-050	076-063	102-063	102-076	108-063	108-076
MDRP	A	63	76	76	102	102	108	108
	B	50	50	63	63	76	63	76
	L	130	175	140	215	165	215	170
	S	1,5	1,5	1,5	2,0	2,0	2,0	2,0
	kg	0,25	0,50	0,40	0,70	0,69	0,70	0,72

Typ	Ø	108-102	127-076	127-102	127-108	152-108	152-127	203-152
MDRP	A	108	127	127	127	152	152	203
	B	102	76	102	108	108	127	152
	L	170	230	230	165	220	180	200
	S	2,0	2,0	2,0	2,0	2,0	2,0	2,0
	kg	0,72	1,05	1,05	0,87	1,35	1,10	1,30

**Klapka MDKB**


Typ	050-050	063-050	063-063	076-063	076-076
MDKB	✓	✓	✓	✓	✓

**Klapka MDKM, strunkový zámok, mikrospínač**


Typ	050-050	063-050	063-063	076-063	076-076
MDKM	✓	✓	✓	✓	✓

**Koncovka MDKR, pozinkovaná/nerez**


Typ	050-050	063-050	076-063
MDKR	✓	✓	✓




**Spojka SKDH, pozinkovaná/nerez**


Typ	050-050	063-063	076-076
SKDH	✓	✓	✓

**Hadicová spojka MDKS**


Typ	050-038	050-045	050-050	063-045	063-050	063-063	076-050	076-063	076-076
MDKS	✓	✓	✓	✓	✓	✓	✓	✓	✓

**Flexi hadica SLAS, antistatická, PUR**


Typ	ø	38	45	50	63	76
SLAS	kg/m	0,37	0,49	0,60	0,80	0,98

**Flexi hadica SLCA, PVC, oceľová výstuž**


Typ	ø	38	45	50	63
SLCA	kg/m	0,30	0,36	0,44	0,52

**Flexi hadica SLPU, PUR, s PVC špirálou, medená výstuž**


Typ	ø	38	45	50	63	76
SLCA	kg/m	0,20	0,25	0,29	0,46	0,55

**Spojka na flexi hadicu SLEB**


Typ	022-032	032-044	038-050	050-065	058-075	068-085	077-095
SLEB	✓	✓	✓	✓	✓	✓	✓

Typ	087-112	104-138	130-165	150-180	175-205	200-231	230-250
SLEB	✓	✓	✓	✓	✓	✓	✓

**Spojka na flexi hadicu FLEB**


Typ	050-135	060-325
FLEB	✓	✓

